



r11254238

40
Models between
2020-06 and 2023-03

Part assemblies		Silocut 225 SG Euro		
Specification		Year From: 01/08/2016 00:00:00		
PartNo	Pos	Qty	Name	Specifications
11254238		1	Silocut 225 SG Euro	01/08/2016 00:00:00
60015833-17	1	1	Frame, without tines	
11262629-22	3	8	Cutting edge	250mm
60089924-22	4	1	Cutting edge LH	
60089923-22	5	1	Cutting edge RH	
5004917	6	6	Screw	
5016968	7	3	Hose clamp	
5013101	8	5	Washer	BRB 8,4 x 16
5011553	9	3	Nut	M6M M8 Loc-king
11262660	10	2	Pin	
5018909	11	3	Bushing	
5050610	12	38	Screw	MF6S 12.9 fzb M12x20
5215131	13	6	Locking cover	
12727910-1	14	3	Cylinder	Glossy Black, 03/02/2026 00:00:00
9020124	15	2	Pin cpl.	
9020126	16	4	Pin cpl.	
5023005	17	2	Greaser	M 10 x 1
5028031	18	2	T-Adapter	
9020128	19	1	Pin cpl.	
5002051	20	2	Screw	M6S 8 x 20
5004956	21	2	Screw	MC6S M10 x 90
5027834	22	1	T-Adapter	G3/8" BSPP
10378391	24	1	Hose kit	
11120580	23	2	Adapter cpl.	
1120176	25	1	T-Adapter	R3/8" BSPP
5011554	26	2	Nut	Loc-King M10
5034439	27	4	Protection sleeve	
11260901	28	2	Hose cpl.	
9031479	29	1	• Hose	1/2" L=630
5013853	30	1	• Dowty washer	Tredo 1/2", Part is included in kit 60007907 Hose cpl., 9032177 Hose cpl.
5044127	31	1	• Quick Coupling	1/2", Part is included in kit 60007907 Hose cpl., 9032177 Hose cpl.
5044130	32	1	• Dust Cover	Part is included in kit 60007907 Hose cpl., 9032177 Hose cpl.
5013110	33	1	Washer	BRB 10.5x22x2
5028311	35	1	Plug	
5022179	36	1	Cable tie	Blue
5022177	37	1	Cable tie	Red
60034182	38	1	Locking plate	
11254377	39	1	Attachment Euro	Bolt on Hooks (Replaces 11253807)
60092323	40	1	Service kit	
		1	• Tooth	
		1	• Tooth	
		4	• Screw	
		4	• Nut	M12 Loc
60060388-17	43	1	Jaw	
11261263	44	2	• Cutting edge	
60060723	45	2	• Cutting edge	

11137135	1	Decal	Silocut
11137188	2	Decal	225 SG
1123674	1	Warning decal	"Read manual"
1123673	1	Warning decal	
11136459	1	Warning decal	Only for North Am. Warning triangle
11136516	1	Warning decal	
11136447	2	Warning decal	Only for North Am. DANGER
11137324	1	Warning decal	"Keep cutting edges sharp"
60018641	1	Warning decal	